Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Issue date: 03/19/2020 Revision date: 05/14/2024 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : IC Gel

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Antiseptic Skin Gel

1.3. Supplier

Manufacturer

Germiphene Corperation 1379 Colborne Street East Brantford, N3T 5M1 - Canada T 519-759-7100 - F 519-759-1625

1.4. Emergency telephone number

Emergency number : CANUTEC: 613-996-6666 (Transport only)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flam. Liq. 2 Eye Irrit. 2A Repr. 1B STOT SE 2

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : Highly flammable liquid and vapor

Causes serious eye irritation

May damage fertility or the unborn child

May cause damage to organs

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

 $\label{thm:continuous} \mbox{Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No}$

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. If exposed or concerned: Call a poison center or doctor.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

05/14/2024 EN (English US) Page 1

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Ethyl alcohol	(CAS-No.) 64-17-5	60 - 80
Methyl alcohol	(CAS-No.) 67-56-1	1 - 5
Isopropyl alcohol	(CAS-No.) 67-63-0	1 - 5

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse. Get medical attention if irritation

develops and persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

First-aid measures after ingestion

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact Symptoms/effects after eye contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion

Unsuitable extinguishing media

: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Water spray, Alcohol resistant foam, Dry chemical, Carbon dioxide.

: Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Fire hazard

: Products of combustion may include, and are not limited to: oxides of carbon. Highly flammable

liquid and vapor. Flash back possible over considerable distance.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Remove undamaged containers from fire area if it is safe to do so.

Protection during firefighting

: Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.

6.1.1. For non-emergency personnel

No additional information available

05/14/2024 EN (English US) 2/7

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up

: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

- : Handle empty containers with care because residual vapors are flammable.
- Precautions for safe handling
- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, fume, gas, mist, spray, vapors. Do not swallow. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.

Hygiene measures

: Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools.

Storage conditions

: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store locked up. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl alcohol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
Methyl alcohol (67-56-1)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
IDLH	US IDLH (ppm)	6000 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	200 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	250 ppm
NIOSH	US-NIOSH chemical category	Potential for dermal absorption
Isopropyl alcohol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm

05/14/2024 EN (English US) 3/7

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Isopropyl alcohol (67-63-0)		
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m³)	980 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	1225 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	500 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Semi-transparent

Color : Colorless

Odor : Characteristic mild ethanol odor

Odor threshold : No data available

pH : 6.5 – 7.8

Melting point : No data available
Freezing point : No data available
Boiling point : 78 °C (172 °F)
Flash point : 19.5 °C (67 °F)
Relative evaporation rate (butyl acetate=1) : No data available

Relative evaporation rate (ether=1) : 1.4

Flammability (solid, gas) : Highly flammable liquid and vapor.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 0.84 - 0.89 Solubility : Soluble in water Partition coefficient n-octanol/water : No data available Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity, kinematic : No data available

05/14/2024 EN (English US) 4/7

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Viscosity, dynamic : 4000 – 11000 cP @ 22 +/- 1 °C (34 °F)

Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Direct sunlight.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. May release flammable gases. ammonia and nitrous oxides (small amounts).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethyl alcohol (64-17-5)			
LD50 oral rat	7060 mg/kg		
LC50 inhalation rat	124.7 mg/l/4h		
ATE US (oral)	7060 mg/kg body weight		
ATE US (vapors)	124.7 mg/l/4h		
ATE US (dust, mist)	124.7 mg/l/4h		
Methyl alcohol (67-56-1)	Methyl alcohol (67-56-1)		
LD50 oral rat	6200 mg/kg		
LD50 dermal rabbit	15840 mg/kg		
LC50 inhalation rat	22500 ppm (Exposure time: 8 h)		
ATE US (oral)	100 mg/kg body weight		
ATE US (dermal)	300 mg/kg body weight		
ATE US (gases)	700 ppmV/4h		
ATE US (vapors)	3 mg/l/4h		
ATE US (dust, mist)	0.5 mg/l/4h		
Isopropyl alcohol (67-63-0)			
LD50 oral rat	< 5045 mg/kg		
LD50 dermal rabbit	4059 mg/kg		
LC50 inhalation rat	72600 mg/m³ (Exposure time: 4 h)		
ATE US (dermal)	4059 mg/kg body weight		
ATE US (vapors)	72.6 mg/l/4h		
ATE US (dust, mist)	72.6 mg/l/4h		

Skin corrosion/irritation : Not classified pH: 6.5 – 7.8

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.5 – 7.8

05/14/2024 EN (English US) 5/7

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified

Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: May damage fertility or the unborn child.

STOT-single exposure : May cause damage to organs.

Methyl alcohol (67-56-1)	
STOT-single exposure	Causes damage to organs. May cause drowsiness or dizziness.
Isopropyl alcohol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	 May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Other information

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Ethyl alcohol (64-17-5)	
LC50 fish 1	12.0 – 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Methyl alcohol (67-56-1)	
LC50 fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Isopropyl alcohol (67-63-0)	
LC50 fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and degradability

IC Gel	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

IC Gel		
Bioaccumulative potential	Not established.	
Ethyl alcohol (64-17-5)		
Partition coefficient n-octanol/water	-0.32	
Methyl alcohol (67-56-1)		
BCF fish 1	< 10	
Partition coefficient n-octanol/water	-0.77	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water	0.05 (at 25 °C)	

05/14/2024 EN (English US) 6/7

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapors are flammable.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

UN-No.(DOT) : UN1170

Proper Shipping Name (DOT) : Ethanol Solution

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III

Hazard labels (DOT) :



SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

15.3. US State regulations

MARNING:

This product can expose you to Methyl alcohol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

 Issue date
 : 03/19/2020

 Revision date
 : 05/14/2024

 Other information
 : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



SDS US (GHS HazCom 2012)_NEXREG_NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

05/14/2024 EN (English US) 7/7