Wash-Checks® U

Disposable Ultrasonic Monitor & Reusable Holder

Cleaning is the first step in instrument reprocessing – get it right!

Assurance - No mess, so easy!

- Check the effectiveness of the wash process in your ultrasonic cleaner with a consistent monitor on a routine basis
- Non toxic blue test soil simulates the presence of blood and tissue on an instrument surface



EASY TO INTERPRET



Unexposed

The blue spot will disappear when proper ultrasonic conditions have been met



Pass

Effective cleaning



Insufficient

If any blue remains, the test is insufficient. Proper ultrasonic conditions have not been met

Multi-Parameter Test

- ☑ Cavitation
- ☑ Time
- ☑ Temperature
- ☑ Amount of detergent
- ✓ Number of instruments

Common Failures

- Instrument shadowing
- Improper cavitation
- Incorrect temperature
- Insufficient time
- Inadequate/improper detergent dosing

Always refer to the

manufacturer's

instructions for use, national and local

requirements of your

regulatory agency.

regulations and

Poor water quality



Cleaning Monitor Holder

- Reusable
- Stainless steel
- Secures monitor in place for accurate results

Leave the aluminum foil in your oven!

The aluminum foil test is time consuming and messy. It tests cavitation. One parameter in the ultrasonic cleaning process. The foil test does not account for the proper amount of detergent, the right amount of time or overloading.





