

E|Line™ Water Quality Check | Results Chart

● Total Bacteria + Fungi

200 cfu/mL

- Negative Result | **Clean Water**

BLUE. No colour change indicates water line/source contains bacteria or fungi under the detection limit of 200 cfu/mL.

+ Positive Result | **Contaminated Water**

PURPLE. Positive results indicate the presence of bacteria and/or fungi in your water line/source at or over the detection limit of 200 cfu/mL.

Required Action: Perform a shock treatment, using E2O™ or another compatible shock treatment. Retest water line/source before use. Only use this water line/source after test results are negative, under the detection limit of 200 cfu/mL.

● E. coli + faecal coliform

1 cfu/mL

- Negative Result | **Clean Water**

YELLOW. No colour change indicates water line/source contains *E. coli* or *faecal coliforms* under the detection limit of 1 cfu/mL.

+ Positive Result | **Contaminated Water**

PINK. Positive results indicate the presence of *E. coli* and/or *faecal coliforms* in your water line/source at or over the detection limit of 1 cfu/mL.

Required Action: Do not use this water line/source. The presence of *faecal coliforms* in water always indicates potentially dangerous contamination requiring immediate attention. Reference your local guidelines for corrective action. Retest water line/source before use. Only use this water line/source after test results are negative, under the detection limit of 1 cfu/mL.

E|Line™ Water Quality Check | Record

Test Vial Type	START Test Date & Time	Source	- Negative Result = Clean Water	+ Positive Result = Contaminated Water	Notes
● Total Bacteria + Fungi		1	<input type="checkbox"/>	<input type="checkbox"/>	
● E. coli + faecal coliform			<input type="checkbox"/>	<input type="checkbox"/>	
● Total Bacteria + Fungi		2	<input type="checkbox"/>	<input type="checkbox"/>	
● E. coli + faecal coliform			<input type="checkbox"/>	<input type="checkbox"/>	
● Total Bacteria + Fungi		3	<input type="checkbox"/>	<input type="checkbox"/>	
● E. coli + faecal coliform			<input type="checkbox"/>	<input type="checkbox"/>	
● Total Bacteria + Fungi		4	<input type="checkbox"/>	<input type="checkbox"/>	
● E. coli + faecal coliform			<input type="checkbox"/>	<input type="checkbox"/>	
● Total Bacteria + Fungi		5	<input type="checkbox"/>	<input type="checkbox"/>	
● E. coli + faecal coliform			<input type="checkbox"/>	<input type="checkbox"/>	
● Total Bacteria + Fungi		6	<input type="checkbox"/>	<input type="checkbox"/>	
● E. coli + faecal coliform			<input type="checkbox"/>	<input type="checkbox"/>	

For Professional Use Only.